

# ASSEMBLY INSTRUCTIONS




## TechWorks™ Tilt Shelf

**NOTE:** Please count and inspect all pieces before disposing of any carton or packing materials.

**COMPONENTS** When ordering components, specific color and/or size information may be required. Contact a Mayline Customer Service Representative. 1-800-822-8037

| REF. # | QTY. | DESCRIPTION        | PART No. |                       |
|--------|------|--------------------|----------|-----------------------|
| 1      | 1    | TILT SHELF         | CALL~~** |                       |
| 2      | 1    | R.H. TILT SUPPORT  | A7132**  | ** Denotes Color Code |
| 3      | 1    | L.H. TILT SUPPORT  | A7133**  | ~~Denotes Size        |
| 4      | 1    | INNER R.H. SUPPORT | B6798**  |                       |
| 5      | 1    | INNER L.H. SUPPORT | B6797**  |                       |
| 6      | 1    | SHELF ANGLE        | CALL~~** |                       |

**HARDWARE BAG (PART No. A6699)** \*for individual item, order that part number

| REF. # | QTY. | DESCRIPTION     | PART No. |   |
|--------|------|-----------------|----------|---|
| E1     | 9    | #10 X 3/4 SCREW | X11*     |  |
| E2     | 8    | NYLON WASHER    | W78*     |  |
| E3     | 4    | KNOB            | K26*     |  |

1. Place shelf upside down on non-scratching surface.

2. Attach Shelf Inner Supports (4 and 5) to top (1) as shown using Screws (E1). Do not tighten Screws. See Fig. 1.




Fig. 1




Fig. 2

3. Attach the Outer Shelf Supports (2 and 3) using the the Plastic Washers (E2) and the Knobs (E3) as shown.

(Note: A washer must go one on each side of the Inner Shelf Support (4 and 5). See Fig. 2




Fig. 3

4. Hang Shelf Assembly from organizer frame and proceed to tighten Screws (E1).  
Note: You may need to remove the Knob in order to tighten the screws. See Fig. 3




Fig. 4

\*Optional front safety lip  
 Use remaining Screws (E1) to attach the Lip to the bottom, front edge of the Shelf (1).  
 See Fig. 4




Fig. 5

\*Optional tilting (0°- 15°)

1. Loosen (Do Not Remove) the four Knobs (E3).
  2. Lift on the back of the shelf and push up on the front of the shelf.
  3. Rest the shelf in one of the four notches:
    - a. Top notch = 0°
    - b. 2nd notch = 5°
    - c. 3rd notch = 10°
    - d. Bottom notch = 15°
- See Fig. 5